


- General Notes**
- DO NOT SCALE FROM THIS DRAWING. WORK ONLY FROM FIGURED DIMENSIONS.
 - ALL ERRORS & OMISSIONS TO BE REPORTED TO THE CONSULTING ENGINEER
 - THIS DRAWING IS TO BE READ IN CONJUNCTION WITH ARCHITECTS AND STRUCTURAL ENGINEERS DRAWINGS.
 - REFER TO DOCUMENT REGISTER FOR DESCRIPTION OF STATUS CODES.

- NOTES**
- THIS DRAWING SHALL BE READ IN CONJUNCTION WITH ALL OTHER RELEVANT DRAWINGS & CONTRACT DOCUMENTS.
 - THE MECHANICAL & ELECTRICAL CONTRACTORS SHALL BE RESPONSIBLE FOR THE CO-ORDINATION OF ALL UNDERGROUND SERVICES IN CONJUNCTION WITH THE MAIN CONTRACTOR.
 - WHILST BEST EFFORTS HAVE BEEN MADE TO ENSURE THE ACCURACY OF THE INFORMATION DETAILED ON THIS DRAWING, ACCURACY CANNOT BE GUARANTEED AND THEREFORE THIS INFORMATION IS ONLY PROVIDED AS A GENERAL GUIDE. NO LIABILITY ACCEPTED FOR ANY DISCREPANCY, OMISSION OR DEVIATION FROM THE ACTUAL POSITION OF MAINS AND SERVICES.
 - THE CONTRACTOR IS RESPONSIBLE FOR LOCATING & VERIFYING ALL EXISTING UNDERGROUND & OVERHEAD UTILITY SERVICES ON AND ADJACENT TO THE SITE PRIOR TO COMMENCING ANY WORKS.
 - THE CONTRACTOR SHALL INFORM THE CLIENT & THE ENGINEER OF WORKS WHICH NEED TO TAKE PLACE OUTSIDE OF THE WORKS AREAS.
 - THE CONTRACTORS SHOULD VISIT THE SITE DURING THE TENDER PERIOD TO FAMILIARISE THEMSELVES WITH THE SERVICES AND THEREBY ALLOW IN THEIR TENDERS FOR ALL WORKS NECESSARY TO COMPLETE THE WORKS.
 - THE CONTRACTORS SHALL NOTE THAT ALL WORKS ASSOCIATED WITH THE MODIFICATIONS TO THE EXISTING SERVICES SHALL ONLY TAKE PLACE ONCE A PROJECT SPECIFIC METHOD STATEMENT HAS BEEN SUBMITTED AND APPROVED.
 - ALL EXISTING SERVICES TO BE DISCONNECTED & REINSTATED AS APPROPRIATE DURING THE WORKS.
 - TEMPORARY LINKS AS NECESSARY ARE TO BE PROVIDED TO MINIMISE ANY SHUTDOWNS.
 - THE CONTRACTOR SHALL ALLOW FOR ALL EXISTING SERVICES TO BE IDENTIFIED AND LABELED BEFORE DIVERSION AND NEW WORKS CAN BE CARRIED OUT.
 - AT ALL TIMES THE CONTRACTOR IS TO BE AWARE OF THE PRESENCE OF EXISTING UNDERGROUND SERVICES IN THE VICINITY OF THE SITE.
 - SERVICES TO INDIVIDUAL PROPERTIES ARE NOT INCLUDED BUT THEIR PRESENCE SHOULD BE ANTICIPATED. THE DEPTHS OF UNDERGROUND CABLES MUST NEVER BE ASSUMED.
 - THIS DRAWING INDICATES THE APPROXIMATE LOCATION OF EXISTING UTILITY OVERHEAD & UNDERGROUND SERVICE ROUTES IN THE GENERAL AREA OF THE PROPOSED WORKS BASED ON EACH OF THE RELEVANT UTILITY COMPANY EXISTING INFRASTRUCTURE MAPS. VARMING TAKES NO RESPONSIBILITY FOR THE ACCURACY OR COMPLETENESS OF THIS INFORMATION. IT IS THE USER'S RESPONSIBILITY TO INDEPENDENTLY VERIFY THE INFORMATION AND THE EXACT LOCATION OF UNDERGROUND CABLES AND OVERHEAD LINES. BEFORE ANY MECHANICAL EXCAVATION IS UNDERTAKEN, THE ACTUAL LOCATION OF ALL UNDERGROUND CABLES MUST BE ESTABLISHED AND VERIFIED ON THE SITE. VARMING TAKES NO RESPONSIBILITY FOR AND SHALL BEAR NO LIABILITY, HOWEVER ARISING, IN RELATION TO ANY DAMAGE, INJURY/DEATH OR LOSS OF SUPPLY AS A RESULT OF DAMAGE OR INTERFERENCE WITH ANY UTILITY PROVIDER NETWORK.



- EXISTING ESB MV/LV UNDERGROUND DUCTING
- EXISTING ESB LV OVERHEAD LINES
- EXISTING VIRGIN MEDIA UNDERGROUND DUCTING
- EXISTING EIR UNDERGROUND DUCTING
- EXISTING EIR OVERHEAD LINES
- EXISTING PUBLIC LIGHTING UNDERGROUND DUCTING
- EXISTING GAS NETWORKS IRELAND UNDERGROUND MAIN
- LV ELECTRICITY POLE
- TELEGRAPH POLE
- ESB MINIPILLAR
- ESB SUBSTATION
- STREET LUMINAIRE
- PROPOSED SITE EXTENTS

Rev	Status	Date	Description	D.E.
P01	S5	Dec '22	Issue For Part VIII	C.MD
P03	S2	July '22	Stage 2	C.MD
P02	S2	Mar '22	Issue For Information	C.MD
P01	S2	Dec '21	Issue For Information	C.MD

Revision	Project Drawing Reference		
P01	21798-VCE-XX-XX-DR-ME-1100		
Status	Varming Project Number		
S5	21798		
Date	Checked By	Drawn By	Scale
DEC '21	J.G.	C.MD	1:250 @ A1

Client
GALWAY CITY COUNCIL
 CITY HALL, COLLEGE ROAD, GALWAY CITY, H91 X4K8

Project Title
**DAY CENTRE FACILITIES AND EMERGENCY
 TEMPORARY HOMELESS ACCOMODATION
 SEAMUS QUIRKE ROAD, GALWAY CITY**

Drawing Title
**MECHANICAL & ELECTRICAL SERVICES
 EXISTING UTILITY SERVICES INFRASTRUCTURE
 ESBN, OPEN EIR, VIRGIN MEDIA &
 GAS NETWORKS IRELAND**



Dublin	01 4872300			
Cork	021 2375080			
Roscommon	090 6602380			
Website	www.varming.ie			

Engineering for the Future