



LEGEND

SITE BOUNDARY	—
PROPOSED SURFACE WATER SEWER	— S1-001 150 —
PROPOSED SURFACE WATER MANHOLE	○ S1-0
PROPOSED SURFACE WATER INSPECTION CHAMBER	○ SIC1-0
PROPOSED GULLY	RG
PROPOSED FILTER DRAIN TYPE A	— LD-PR —
PROPOSED INFILTRATION TRENCH TYPE A	— LD-PR —
EXISTING GULLY	□ G
PROPOSED RAIN GARDEN AREA	■

- NOTES:**
- DO NOT SCALE. ALL DIMENSIONS ON DRAWINGS ARE IN MILLIMETERS UNLESS NOTED OTHERWISE. USE FIGURED DIMENSIONS ONLY.
 - ALL SETTING OUT DIMENSIONS TO BE CHECKED AGAINST ARCHITECTS DRAWINGS, ARCHITECTS DRAWINGS TO TAKE PRECEDENCE.
 - THIS DRAWING SHOULD BE READ IN CONJUNCTION WITH ALL RELEVANT ARCHITECTS, ENGINEERS AND MANUFACTURERS' DRAWINGS AND SPECIFICATIONS.
 - CIVIL DRAWINGS TO BE READ IN CONJUNCTION WITH CIVIL SPECIFICATIONS & ALL ARCHITECTS AND SERVICES DRAWINGS AND SPECIFICATIONS.
 - ANY QUERIES OR DISCREPANCIES ARE TO BE REFERRED TO THE EMPLOYER'S REPRESENTATIVE IMMEDIATELY.
 - WHERE REFERENCE IS MADE TO VARIOUS TEST STANDARDS FOR MATERIALS, SUCH STANDARDS SHALL BE THE LATEST EDITION AND/OR ADDENDUM. OTHER STANDARDS MAY ONLY BE CONSIDERED FOLLOWING PRIOR APPROVAL BY THE ENGINEER.
 - ALL LEVELS ARE RELATED TO THE ORDNANCE DATUM (O.D.) - MALIN HEAD
 - ALL MANHOLES TO BE CONSTRUCTED WITH PRECAST CONCRETE RINGS IN ACCORDANCE WITH RELEVANT ENGINEERS DETAILS DRAWING.
 - PROPRIETARY CONNECTIONS TO BE USED THROUGHOUT.
 - ALL JOINTS TO BE WATERTIGHT TO CL 504 SUB CLAUSE 3 OF THE NRA SPECIFICATION FOR ROADWORKS.
 - MANHOLES WITHIN PAVING TO BE D400 AND RECESSED TO RECEIVE PAVIORS.
 - MANHOLES IN TARMACADAM / GRASSED AREAS TO BE NON ROCK D400 LOCKABLE MANHOLES.
 - TRENCHES IN EXISTING SURFACES TO BE SAW CUT.

Tailte Éireann Licence No. CYAL50378050
© Tailte Éireann - Surveying.

© PUNCH Consulting Engineers
This drawing and any design hereon is the copyright of the Consultants and must not be reproduced without their written consent.
All drawings remain the property of the Consultants.
Figured dimension only to be taken from this drawing.
Consultants to be informed immediately of any discrepancies before work proceeds.

COLOUR DRAWING

Rev	Amendment	By	Date	Rev	Amendment	By	Date	Client:
C01	ISSUED FOR PLANNING	DF	2024-09-20					

PUNCH
consulting engineers
Dublin | Limerick | Cork | Galway | Glasgow

97 Henry Street, Limerick, V94 YC2H
t +353 61 221 200 | w punchconsulting.com

Project: WOODQUAY PARK ENHANCEMENT			
Title: PROPOSED DRAINAGE LAYOUT			
Drawn: PJ Mulcahy	Date drawn: 2024-09-13	Technician Check: PJ Mulcahy	Engineer Check: Padraig Troy
Project No: 231101	Model Ref: 231101-PUNCH-01-XX-M2-C-0101	Drawing Status: A0 (Planning)	Approved: Aiden O'Donoghue
Scale @ A1: 1:200	Document No: 231101-PUNCH-01-XX-DR-C-0101	Revises No: C01	